Environmental Biology of Fishes **62:** 467–469, 2001.

Volume 62

Issue 1–3, pp. 1–364: October 2001 Issue 4, pp. 365–472: December 2001

Volume contents

The biology of hypogean fishes
Guest Editor: Aldemaro Romero

An introduction to the special volume on the biology of hypogean fishes, by A. Romero 7–12
It's a wonderful hypogean life: a guide to the troglomorphic fishes of the world, by A. Romero & K.M. Paulson 13–41
Scientists prefer them blind: the history of hypogean fish research, by A. Romero 43–71
Nontroglobitic fishes in Bruffey-Hills Creek Cave, West Virginia, and other caves worldwide, by W.J. Poly 73–83

Part 1. Anatomy, physiology and behavior

The mechanosensory lateral line system of the hypogean form of *Astyanax fasciatus*, by J.C. Montgomery, S. Coombs & C.F. Baker 87–96
Metabolic rate and natural history of Ozark cavefish, *Amblyopsis rosae*, in Logan Cave, Arkansas, by G.L. Adams & J.E. Johnson 97–105
Locomotory responses of the cave cyprinid *Phreatichthys andruzzii* to chemical signals from conspecifics and related species: new findings, by R. Berti & L. Zorn 107–114
Responses to light in epigean and hypogean populations of *Gambusia affinis* (Cyprinodontiformes: Poeciliidae), by M.M. Camassa 115–118
Temporal organization in locomotor activity of the hypogean loach, *Nemacheilus evezardi*, and its epigean ancestor, by A.K. Pati 119–129

Part 2. Ecology and conservation

Ecology of subterranean fishes: an overview, by E. Trajano 133–160
Population biology and growth of Ozark cavefish in Logan Cave National Wildlife Refuge, Arkansas, by J.Z. Brown & J.E. Johnson 161–169
Threatened fishes of the world: Ophisternon infernale *(Hubbs, 1938) (Synbranchidae), by R. Medina-González, G. Proudlove, L. Chumba-Segura & T. Iliffe* 170
How hydrogeology has shaped the ecology of Missouri's Ozark cavefish, *Amblyopsis rosae*, and southern cavefish, *Typhlichthys subterraneus*: insights on the sightless from understanding the underground, by D.B. Noltie & C.M. Wicks 171–194
Habitat and population data of troglobitic armored cave catfish, *Ancistrus cryptophthalmus* Reis, 1987, from central Brazil (Siluriformes: Loricariidae), by E. Trajano 195–200
The conservation status of hypogean fishes, by G.S. Proudlove 201–213
Threatened fishes of the world: Ogilbia pearsei *(Hubbs, 1938) (Bythitidae), by G. Proudlove, R. Medina-González, L. Chumba-Segura & T. Iliffe* 214
Status of the federally endangered Alabama cavefish, *Speoplatyrhinus poulsoni* (Amblyopsidae), in Key Cave and surrounding caves, Alabama, by B.R. Kuhajda & R.L. Mayden 215–222

Part 3. Genetics and evolution

Genetic differentiation among populations of the cave fish *Schistura oedipus* (Cypriniformes: Balitoridae), by R.B. Borowsky & L. Mertz 225–231

Origin and relationship of cave populations of the blind Mexican tetra, *Astyanax fasciatus*, in the Sierra de El Abra, by L. Espinasa & R.B. Borowsky 233–237

Threatened fishes of the world: Caecobarbus geertsii *Boulenger, 1921 (Cyprinidae), by G.S. Proudlove & A. Romero* 238

Morphological and physiological correlates of evolutionary reduction of metabolic rate among amblyopsid cave fishes, by T.L. Poulson 239–249

Convergent adaptations to cave life in the *Rhamdia laticauda* catfish group (Pimelodidae, Teleostei), by H. Wilkens 251–261

A review of morphological and behavioural changes in the cave molly, *Poecilia mexicana*, from Tabasco, Mexico, by J. Parzefall 263–275

Part 4. Special cases

Troglomorphic sculpins of the *Cottus carolinae* species group in Perry County, Missouri: distribution, external morphology, and conservation status, by B.M. Burr, G.L. Adams, J.K. Krejca, R.J. Paul & M.L. Warren, Jr. 279–296

Milyeringa veritas (Eleotridae), a remarkably versatile cave fish from the arid tropics of northwestern Australia, by W.F. Humphreys 297–313

Mexican blindcats genus *Prietella* (Siluriformes: Ictaluridae): an overview of recent explorations, by D.A. Hendrickson, J.K. Krejca & J.M. Rodríguez Martinez 315–337

A new blind cave fish population of genus *Astyanax*: geography, morphology and behavior, by L. Espinasa, P. Rivas-Manzano & H. Espinosa Pérez 339–344

Adaptations of cave fishes with some comparisons to deep-sea fishes, by T.L. Poulson 345–364

Full papers

Morphology of the eye and visual acuities in the settlement-intervals of some coral reef fishes (Labridae, Scaridae), by M.R. Lara 365–378

Diel and seasonal activity patterns of adult tautog, *Tautoga onitis*, in lower Chesapeake Bay, inferred from ultrasonic telemetry, by M.D. Arendt, J.A. Lucy & D.A. Evans 379–391

Space use by the Japanese fluvial sculpin, *Cottus pollux*, related to spatio-temporal limitations in nest resources, by T. Natsumeda 393–400

The influence of temperature and habitat on the distribution of chiselmouth, *Acrocheilus alutaceus*, in British Columbia, by J. Rosenfeld, M. Porter, M. Pearson, B. Wicks, P. van Dishoeck, T. Patton, E. Parkinson, G. Haas & D. McPhail 401–413

Threatened fishes of the world: Henochilus wheatlandii *Garman, 1890 (Characidae)*, by F. Vieira & C. B. Mascarenhas Alves 414

Food capture kinematics of the suction feeding horn shark, *Heterodontus francisci*, by M.A. Edmonds, P.J. Motta & R.E. Hueter 415–427

Threatened fishes of the world: Cheilinus undulatus *Rüppell, 1835 (Labridae)*, by T.J. Donaldson & Y. Sadovy 428

Composition and trophic structure of a fish community of a clear water Atlantic rainforest stream in southeastern Brazil, by K. Eichbaum Esteves & J. Lobón-Cerviá 429–440

Foraging efficiency of juvenile bluegill, *Lepomis macrochirus*, among different vegetated habitats, by S.L. Harrel & E.D. Dibble 441–453

Sensory deficits induced by cadmium in banded kokopu, *Galaxias fasciatus*, juveniles, by C.F. Baker & J.C. Montgomery 455–464

Authors' index 465

Acknowledgements for refereeing 466

Volume contents 467–469

Instructions to authors 471–472